

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45031	((torque near3 angular angle rotation\$5) near3 (test\$5 detect\$5 sens\$5 estimat\$5 evalut\$5 determin\$5 measur\$5 transducer cell meter gauge monitor\$5 )).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:33
L2	3	1 and (magnet\$8 near3 (sheet film layer coating) near5 shaft).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:36
L3	0	2 and excit\$6 near3 coil.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:27
L4	313	1 and (magnet\$8 near3 (sheet film layer coating)).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 09:37
L5	410	1 and (magnet\$8 near3 (shaft)).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 09:37
L6	28	4 and shaft.clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:28
L7	1	6 and excit\$6 near3 coil.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:37
L8	193	1 and excit\$6 near3 coil.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:36
L9	147	1 and excit\$6 near3 (supply source).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:39
L10	14	9 and (reference predetermined known given treshold standard) near3 voltage.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:42
L11	32	9 and (reference predetermined known given treshold standard) near3 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:38

L12	23	11 and phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:54
L13	1	12 and frequency near3 divider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 09:53
L14	193	1 and excit\$6 near3 coil.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:27
L15	53	14 and shaft.clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:36
L16	45	15 and (magnet\$8).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:37
L17	4	16 and (computer microprocess\$5 process\$5 cpu).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:37
L18	56455	((torque angular angle rotation\$5) near3 (test\$5 detect\$5 sens\$5 estimat\$5 evalut\$5 determin\$5 measur\$5 transducer cell meter gauge monitor\$5 )).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:33
L19	12	18 and (magnet\$8 near3 (sheet film layer coating) near5 shaft). clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:36
L20	271	18 and excit\$6 near3 coil.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:09
L21	105	20 and shaft.clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:36
L22	93	21 and (magnet\$8).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:37
L23	14	22 and (computer microprocess\$5 process\$5 cpu).clm.	USPAT; EPO; JPO	OR	ON	2005/01/07 10:37
L24	6	23 and (reference predetermined known given treshold standard) near3 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:08

L25	187	18 and ( duty near3 ratio).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:09
L26	105	21 and excit\$6 near3 coil.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:09
L27	0	22 and ( duty near3 ratio).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:10
L28	1	22 and ( duty near3 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:10
L29	2	21 and ( duty near3 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:11
L30	11	20 and ( duty near3 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:13
L31	0	19 and ( duty near3 ratio).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:14
L32	1	19 and ( duty near3 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 11:14